844-0061 CHROMA-CHEM®TITANIUM WHITE

TW

Revision Date: 02-13-2018

Version Number: 13



1. Identification

Specification: 000000139869

Product identifier 844-0061 CHROMA-CHEM®TITANIUM WHITE TW

Other means of identification

SAP Specification 000000139869

Recommended use Non-aqueous colorant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Chromaflo Technologies Corporation

2600 Michigan Avenue

Ashtabula, OH, USA 44005-0816

Canadian facility Chromaflo Technologies Canada

235 Orenda Road

Brampton, Ontario, Canada L6T-1E6

**US telephone** 440-997-5137 **Canadian telephone** 905-451-3810

NA: EMERGENCY # (3E) 866-519-4752 GLOBAL: EMERG. # (3E) (+1) 760-476-3962

**3E CONTRACT #** 12154 **3E ACCESS CODE** 334294

**CANADA: CANUTEC** 613-996-6666

**EMERGENCY NUMBER** 

Product Regulatory ehs americas@chromaflo.com

Services

2. Hazard(s) identification

Physical hazards Flammable liquids Category 3

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Flammable liquid and vapor.

**Precautionary statement** 

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

Material name: 844-0061 CHROMA-CHEM®TITANIUM WHITE TW
000000139869 Version #: 13 Revision date: 02-13-2018 Issue date: 12-23-2013

**Disposal** 

Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national/international regulations.

None known.

Supplemental information

If product is in liquid or paste form, hazards related to dust are not considered significant. But product may contain substances that could be potential hazards if caused to become airborne due to abrasive processes.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name  | Common name and synonyms | CAS number | <u></u>  |
|--|--------------------------|------------|----------|
| Titanium dioxide                                       |                          | 13463-67-7 | 60 - 80  |
| 2-methoxy-1-methylethyl acetate                        |                          | 108-65-6   | 10 - 20  |
| Aluminum hydroxide                                     |                          | 21645-51-2 | 2.5 - 10 |
| Stoddard solvent; Low boiling poinaphtha - unspecified | nt                       | 8052-41-3  | 2.5 - 10 |
| Synthetic Amorphous Silica,<br>Precipitated            |                          | 7631-86-9  | 2.5 - 10 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: 844-0061 CHROMA-CHEM®TITANIUM WHITE TW 000000139869 Version #: 13 Revision date: 02-13-2018 Issue date: 12-23-2013

# Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

#### **Environmental precautions**

# 7. Handling and storage

## Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components   | Туре | Value      | Form                 |
|--|------|------------|----------------------|
| Stoddard solvent; Low<br>boiling point naphtha -<br>unspecified (CAS<br>8052-41-3) | PEL  | 2900 mg/m3 |                      |
| ,  |      | 500 ppm    |                      |
| Titanium dioxide (CAS 13463-67-7)  | PEL  | 15 mg/m3   | Total dust.          |
| US. OSHA Table Z-3 (29 CFR 1910.10   | 00)  |            |                      |
| Components   | Туре | Value      | Form                 |
| Aluminum hydroxide (CAS 21645-51-2)  | TWA  | 5 mg/m3    | Respirable fraction. |
| ,  |      | 15 mg/m3   | Total dust.          |
|  |      | 50 mppcf   | Total dust.          |
|  |      | 15 mppcf   | Respirable fraction  |
| Synthetic Amorphous Silica,<br>Precipitated (CAS<br>7631-86-9)                     | TWA  | 0.8 mg/m3  |                      |
| 7001000)   |      | 20 mppcf   |                      |
| Titanium dioxide (CAS<br>13463-67-7)   | TWA  | 5 mg/m3    | Respirable fraction. |
| ,  |      | 15 mg/m3   | Total dust.          |
|  |      | 50 mppcf   | Total dust.          |
|  |      | 15 mppcf   | Respirable fraction. |
| US. ACGIH Threshold Limit Values   |      |            |                      |
| Components   | Туре | Value      | Form                 |
| Aluminum hydroxide (CAS 21645-51-2)  | TWA  | 1 mg/m3    | Respirable fraction  |
| Stoddard solvent; Low<br>boiling point naphtha -<br>unspecified (CAS<br>8052-41-3) | TWA  | 100 ppm    |                      |

Material name: 844-0061 CHROMA-CHEM®TITANIUM WHITE TW 000000139869 Version #: 13 Revision date: 02-13-2018 Issue date: 12-23-2013

US. ACGIH Threshold Limit Values
Components

Type

Value
Form

Titanium dioxide (CAS
13463-67-7)

US. NIOSH: Pocket Guide to Chemical Hazards
Components

Type

Value

Stoddard solvent; Low boiling point naphtha unspecified (CAS 8052-41-3)

TWA 350 mg/m3 TWA 6 mg/m3

1800 mg/m3

Synthetic Amorphous Silica, Precipitated (CAS 7631-86-9)

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components Type Value

2-methoxy-1-methylethyl TWA 50 ppm

acetate (CAS 108-65-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational Exposure Limits are not relevant to the current physical form of the product.

US - California OELs: Skin designation

2-methoxy-1-methylethyl acetate (CAS 108-65-6) Can be absorbed through the skin.

Ceiling

Appropriate engineering

Explosion-proof general and local exhaust ventilation.

controls

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to vapor/mist at levels

exceeding the exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene** When using do not smoke. Always observe good personal hygiene measures, such as washing considerations after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Liquid. paste

Color White

**Odor** Sweet ether-like odor.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.

Initial boiling point and boiling > 289.4 °F (> 143 °C)

range

Flash point 108.00 °F (42.22 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper Not available.

(%)

Material name: 844-0061 CHROMA-CHEM®TITANIUM WHITE TW

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Stoddard solvent; Low boiling point naphtha - unspecified 3 Not classifiable as to carcinogenicity to humans.

(CAS 8052-41-3)

Synthetic Amorphous Silica, Precipitated (CAS 3 Not classifiable as to carcinogenicity to humans.

7631-86-9)

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged exposure may cause chronic effects.

#### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Product Species Test Results** 844-0061 CHROMA-CHEM®TITANIUM WHITE TW Aquatic Crustacea EC50 Daphnia 1622.0601 mg/l, 48 hours estimated Fish LC50 Fish 1622.0601 mg/l, 96 hours estimated Components **Species Test Results** 

Titanium dioxide (CAS 13463-67-7)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

#### Persistence and degradability

### Bioaccumulative potential

## Partition coefficient n-octanol / water (log Kow)

Stoddard solvent; Low boiling point naphtha - unspecified 3.16 - 7.15

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

**UN number** UN1263

**UN proper shipping name** Paint related material

Transport hazard class(es)

3 Class Subsidiary risk 3 Label(s) Ш Packing group

Material name: 844-0061 CHROMA-CHEM®TITANIUM WHITE TW

000000139869 Version #: 13 Revision date: 02-13-2018 Issue date: 12-23-2013

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** B1, B52, IB3, T2, TP1, TP29

Packaging exceptions 150 Packaging non bulk 173 242 Packaging bulk

**DOT BULK** 

**BULK** 

UN1263 **UN** number

**UN** proper shipping name Transport hazard class(es)

3 Class 3 Label(s) **Packing group** Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Paint related material

**Special provisions** B1, B52, IB3, T2, TP1, TP29

**Packaging exceptions** 150 173 Packaging non bulk Packaging bulk 242

**IATA** 

**UN** number UN1263

Paint related material **UN proper shipping name** 

Transport hazard class(es) 3 **Class** Subsidiary risk Ш Packing group

**Environmental hazards** No. 3L **ERG Code** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

**IMDG** 

**UN** number UN1263

**UN proper shipping name** PAINT RELATED MATERIAL

Transport hazard class(es)

3 Class Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant No. F-E, S-E **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

DOT; DOT Bulk packaging type





# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the US Hazard Communication Standard

and the Canadian Hazardous Products Regulation.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories** 

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium dioxide (CAS 13463-67-7) Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Stoddard solvent; Low boiling point naphtha - unspecified (CAS 8052-41-3)

Titanium dioxide (CAS 13463-67-7)

#### International Inventories

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |

TW

Country(s) or region On inventory (yes/no)\* Inventory name Europe European List of Notified Chemical Substances (ELINCS) Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes Taiwan Taiwan Toxic Chemicals Substances Control Act Yes

# 16. Other information, including date of preparation or last revision

Issue date 12-23-2013 **Revision date** 02-13-2018

Version # 13

Disclaimer The information contained herein is based on data believed to be reliable and the manufacturer

> disclaims any liability incurred from the use or reliance upon the same. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety information is not a license to use this material as claimed by any patents of third parties. The user alone must finally determine whether a contemplated use of this material will infringe any such patents, and for

obtaining any required licenses.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).